

HAND RECEIPT

COVERING CONTENTS OF COMPONENTS OF END ITEM (COEI),  
 BASIC ISSUE ITEMS (BII), AND  
 ADDITIONAL AUTHORIZATION LIST (AAL)  
 FOR

**GENERATOR SET, DIESEL ENGINE  
 DRIVEN, TACTICAL  
 SKID MOUNTED, 60 KW, 3 PHASE,  
 4 WIRE, 120/208 AND 240/416 VOLTS**

<u>DOD MODELS</u>	<u>CLASS</u>	<u>HERTZ</u>	<u>NSN</u>
MEP006A	UTILITY	50/60	6115-00-118-1243
MEP105A	PRECISE	50/60	6115-00-118-1252
MEP115A	PRECISE	400	6115-00-118-1253

---

HEADQUARTERS, DEPARTMENT OF THE ARMY  
 FEBRUARY 1980



TECHNICAL MANUAL }  
 No. 5-6115-545-12-HR }

HEADQUARTERS  
 DEPARTMENT OF THE ARMY  
 WASHINGTON, DC, 8 February 1980

**Hand Receipt  
 Covering Contents of Components of End Item (COEI), Basic Issue Items  
 (BII) and Additional Authorization List (AAL)  
 for**

**GENERATOR SET, DIESEL ENGINE DRIVEN, TACTICAL  
 SKID MOUNTED, 60 KW, 3 PHASE, 4 WIRE, 120/208  
 AND 240/416 VOLTS**

<u>DOD MODELS</u>	<u>CLASS</u>	<u>HERTZ</u>	<u>NSN</u>
MEP006A	UTILITY	50/60	6115-00-118-1243
MEP105A	PRECISE	50/60	6115-00-118-1252
MEP115A	PRECISE	400	6115-00-118-1253

**REPORTING OF ERRORS**

**You can help improve this manual. If you find any mistakes or know of a way to improve the procedures, please let us know. Mail your letter or DA Form 2028 (Recommended Changes to Publications and Blank Forms) direct to US Army Troop Support and Aviation Materiel Readiness Command, ATTN: DRSTS-MTPS, 4300 Goodfellow Boulevard, St. Louis, MO 63120. A reply will be furnished direct to you.**

SECTION I. INTRODUCTION.....	Page 1
II. HAND RECEIPT.....	

**SECTION II  
 HAND RECEIPT**

**1. SCOPE**

This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components of End Item (COEI), Basic Issue Items (BII) and Additional Authorization List (AAL) items related to the Generator Set, DOD Models MEP006A, MEP105A, and MEP115A.

**2. GENERAL**

*a.* Section II is the overprinted DA Form 2062 which lists the line item entry for System/End Item and the content of COEI, BII, and AAL extracted from TM 5-6115-545-12. The listings consist of exactly the same items and are in the same sequence as those listings in TM 5-6115-545-12.

*b.* The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by AR 710-2.

*c.* Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant or duplicating plant facilities.

*d.* Additional copies of this publication may be requisitioned from the US Army Adjutant General Publications Center, 1655 Woodson Road, St. Louis, MO 63114, in accordance with chapter 3, AR 310-2.

**3. EXPLANATION OF BLOCKS AND COLUMNS  
 (DA Form 2062).**

Refer to chapter 2, AR 710-2. Additional information required to complete DA Form 2062 is listed below:

*a.* Hand receipts shall identify the accounting requirement status of all line item entries via the

description column for each item: (i. e., the first entry in the description column) shall be the line item's Expendability (EXP)/Accounting Requirements Code (ARC), in parentheses, in front of the line item name. One of the following codes will apply:

- (N) for Nonexpendable: Items not consumed in use, retaining their identity during use, and requiring that accountability be maintained throughout the life of the item.
- (D) for Durable: Nonconsumable components of sets, kits, outfits, and assemblages; all tools in FSC'S 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220 and 5280; and any other nonconsumable with a price in excess of \$50.00 not already "N."
- (X) for Expendable: Items regardless of type classification or price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or less and not already "N" or "D."

b. Authorization documents are as follows:

(1) Components of End Item (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).

(2) Basic Issue Items (BII) are authorized by the applicable operator's manual.

(3) Additional Authorization List (AAL) items are authorized by the appropriate MTOE, TDA, CTA, or JTA authorization documents.

SECTION II  
HAND RECEIPT

<b>HAND RECEIPT/ANNEX NO.</b> <small>For use of this form, see AR 735-35; the proponent agency is the office of the Deputy Chief of Staff for Logistics.</small>		FROM:				TO: Hand Receipt File No.										
<small>Following last item, state in each balance column the type of action (e.g. issue, turn-in, inventory, etc.) producing this balance, date of action, and signature.</small>		<small>Fill in the following when this form is used as Hand Receipt Annex.</small>														
		CATALOG NO. TM 5-6115-545-12				CURR OF ALW		ITEM GENERATOR SET								
STOCK NO.	COMPONENTS OF END ITEM (COEI) ITEM DESCRIPTION	T' (a)	C' (t)	BALANCE												
				1	2	3	4	5	6	7	8	9	10	11	12	
	NONE															
	BASIC ISSUE ITEMS (BII)															
7520-00-559-9618	CASE, MAINTENANCE AND OPERATIONAL MANUAL															
	ADDITIONAL AUTHORIZED LIST (AAL)															
4910-00-273-3663	GAGE: TIRE PRESSURE, 10 TO 160 LBS RANGE.  (SEE PARTS MANUAL)	1														
4930-00-360-2801	GREASE GUN: HAND, LEVER OPERATED, 16 OZ.	1														
5120-00-224-4045	HAMMER, HAND: MACKINIST BALL PEAN, 1-1/4 LB.  HEAD.	1														
4930-00-141-8311	HOSE ASSEMBLY: GREASE GUN, HYDRAULIC COUPLING  ONE END, OTHER AND MALE CONNECTION, 1/8 IN.  NPTF, 3/16 IN. ID HOSE, 19-11/32 IN. OVERALL  LENGTH.	1														
<small>T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes. C - Current operating allowance for Hand Receipts. (t) Total authorized for Hand Receipt Annexes.</small>														<small>PAGE No. 1 No. OF PAGES 2</small>		



By Order of the Secretary of the Army:

E. C. MEYER  
*General, United States Army*  
*Chief of Staff*

Official:

J. C. PENNINGTON  
*Major General, United States Army*  
*The Adjutant General*

Distribution:

To be distributed in accordance with DA Form 12-25D, Operator maintenance requirements for Generator Sets: 60 KW 60 HZ Precise Power, 60 KW 400 HZ Precise Power, 60 KW 60 HZ Utility.







